

## CUTTER SETTINGS

HTV	Juliet	Cricut Explore Air	Cricut Maker	Silhouette 4	Brother Scan N Cut DX	Roland GX-GS-24	Graphtec
<b>EasyWeed®</b>	Blade: Juliet 45° Gram Force: 5-10 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Vinyl +	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 80-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 8-9 Tool: CB09U+0 Speed: 30 cm/s
<b>EasyWeed® Electric</b>	Blade: Juliet 45° Force: 5-10 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Vinyl +	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 80-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 8-9 Tool: CB09U+0 Speed: 30 cm/s
<b>EasyWeed® Extra</b>	Blade: Juliet 45° Force: 5-10 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Vinyl +	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 80-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 8-9 Tool: CB09U+0 Speed: 30 cm/s
<b>EasyWeed® Glow</b>	Blade: Juliet 45° Force: 5-10 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Vinyl +	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 80-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 8-9 Tool: CB09U+0 Speed: 30 cm/s
<b>EasyWeed® Stretch</b>	Blade: Juliet 45° Force: 5-10 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Vinyl +	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 1-2 Half Cut: Auto	Blade: 45° Gram Force: 80-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 9-10 Tool: CB09U+0 Speed: 30 cm/s
<b>EasyWeed® Sub Block</b>	Blade: Juliet 45° Force: 5-10 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Vinyl +	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 80-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 8-9 Tool: CB09U+0 Speed: 30 cm/s
<b>EasyWeed® Adhesive</b>	Blade: Juliet 45° Force: 22-27 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Vinyl +	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 5-6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 70-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 7-9 Tool: CB09U+0 Speed: 30 cm/s
<b>EasyReflective®</b>	Blade: Juliet 45° Gram Force: 5-10 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Iron-on+	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 80-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 8-9 Tool: CB09U+0 Speed: 30 cm/s
<b>BlackBoard®</b>	Blade: Juliet 45° Force: 15-20 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Vinyl +	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 80-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 8-9 Tool: CB09U+0 Speed: 30 cm/s
<b>Brick® 600</b>	Blade: Juliet 45° Gram Force: 12-20 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Light Cardstock +	Blade: AutoBlade, Fine-Point Setting: Cardstock	Blade: AutoBlade, 7 Material: Heat Transfer Smooth Force: 20 Speed: 4	Blade: Standard, 7 Cut Speed: 1 Cut Pressure: 2	Blade: 60° * Gram Force: 150-190 Offset: .250 Speed: 30 cm/s	Blade: 60° * Gram Force: 11-12 Tool: CB09U+0 Speed: 25 cm/s

\*Extend the blade out so that a significant amount of blade is exposed. (45° blade is NOT recommended for use with this material).



## CUTTER SETTINGS

HTV	Juliet	Cricut Explore Air	Cricut Maker	Silhouette 4	Brother Scan N Cut DX	Roland GX-GS-24	Graphtec
<b>Glitter</b>	Blade: Juliet 45° Force: 30-35 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Iron On +	Blade: AutoBlade, Fine-Point Setting: Glitter Iron On	Blade: AutoBlade, 4 Material: Heat Transfer Glitter Force: 11 Speed: 8	Blade: 3 Cut Speed: 5 Half Cut: 5	Blade: 45° Gram Force: 180-190 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 17-18 Tool: CB09U+0 Speed: 30 cm/s
<b>Holographic</b>	Blade: Juliet 45° Gram Force: 25-32 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Light Cardstock	Blade: AutoBlade, Fine-Point Setting: Light Cardstock	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 14 Speed: 8	Blade: 3 Cut Speed: 5 Cut Pressure: 5	Blade: 45° Gram Force: 150-190 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 17 Tool: CB09U+0 Speed: 30 cm/s
<b>Metal</b>	Blade: Juliet 45° Force: 5-10 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Vinyl +	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 80-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 9-10 Tool: CB09U+0 Speed: 30 cm/s
<b>Sparkle™</b>	Blade Juliet 45° Gram Force: 10-15 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Vinyl +	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 80-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 9-10 Tool: CB09U+0 Speed: 30 cm/s
<b>StripFlock® Pro</b>	Blade: Juliet 45° Force: 20-25 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Iron On	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3-4 Material: Heat Transfer Flocked Force: 6 Speed: 5	Blade: Autoblade Cut Speed: 5 Half Cut: 4	Blade: 45° Gram Force: 80-120 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 10 Tool: CB09U+0 Speed: 30 cm/s
<b>Twinkle™</b>	Blade: Juliet 45° Gram Force: 33-37 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Iron On	Blade: AutoBlade, Fine-Point Setting: Glitter Ion On	Blade: AutoBlade, 4 Material: Heat Transfer Glitter Force: 11 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: 4	Blade: 45° Gram Force: 130-160 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 13 Tool: CB09U+0 Speed: 30 cm/s
<b>EasyPatterns®</b>	Blade: Juliet 45° Gram Force: 5-10 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Iron On	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 80-90 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 8-9 Tool: CB09U+0 Speed: 30 cm/s
<b>Aurora</b>	Blade: Juliet 45° Force: 30-35 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Light Cardstock	Blade: AutoBlade, Standard Setting: Light Cardstock	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 14 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 130-140 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 8-9 Tool: CB09U+0 Speed: 30 cm/s
<b>Easy™ Puff</b>	Blade: Juliet 45° Force: 5-10 Offset: 0.250 Speed: 10	Blade: AutoBlade, Standard Setting: Vinyl +/Iron-On	Blade: AutoBlade, Fine-Point Setting: Heat Transfer (Non-Cricut)	Blade: AutoBlade, 3 Material: Heat Transfer Smooth Force: 6 Speed: 8	Blade: Autoblade Cut Speed: 5 Half Cut: Auto	Blade: 45° Gram Force: 90-100 Offset: .250 Speed: 30-50 cm/s	Blade: 45° Gram Force: 8-9 Tool: CB09U+0 Speed: 30 cm/s

Please note:

The specifications listed are suggested starting points that may need to be adjusted according to blade, cutting strip, and cutting mat wear.

\* Craft cutters were evaluated using cutter-specific standard grip cutting mats